

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 11/02/98
Date Received: 10/28/98
Project: Metro Grab (KC), PO# M77563
Date Samples Extracted: 10/28/98
Date Extracts Analyzed: 10/29/98

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE
FOR CHROMIUM, COPPER, NICKEL, ZINC
USING METHOD 6010**

Samples Processed Using Method 3005A
Results Reported as mg/L (ppm)

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M77563	1.3	0.73	1.3	0.12
Method Blank	<0.05	<0.05	<0.05	<0.05

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: 11/02/98

Date Received: 10/28/98

Project: Metro Grab (KC), PO# M77563

**QUALITY ASSURANCE RESULTS
FOR TOTAL METALS BY
INDUCTIVELY COUPLED PLASMA (ICP)
(METHOD 6010)**

Laboratory Code: 810074-01 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Chromium	mg/L (ppm)	0.76	0.76	0	0-20
Copper	mg/L (ppm)	0.64	0.58	10	0-20
Nickel	mg/L (ppm)	0.66	0.63	5	0-20
Zinc	mg/L (ppm)	0.17	0.18	6	0-20

Laboratory Code: 810074-01 (Matrix Spike)

Analyte	Reporting Units	Spike Level	Sample Result	% Recovery MS	% Recovery MSD	Acceptance Criteria	RPD
Chromium	mg/L (ppm)	5	0.76	105	104	80-120	1
Copper	mg/L (ppm)	5	0.64	87	88	80-120	1
Nickel	mg/L (ppm)	10	0.66	104	105	80-120	1
Zinc	mg/L (ppm)	5	0.17	113	115	80-120	2

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	% Recovery LCS	% Recovery LCSD	Acceptance Criteria	RPD
Chromium	mg/L (ppm)	5	106	106	80-120	0
Copper	mg/L (ppm)	5	101	100	80-120	1
Nickel	mg/L (ppm)	10	108	108	80-120	0
Zinc	mg/L (ppm)	5	111	111	80-120	0

810158

MM A3
10/28/98
1:05

Send Report To:

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Jensen, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

November 2, 1998

DUPLICATE COPY

INVOICE #98ACU1102-3

Accounts Payable
Alaskan Copper Works
628 South Hanford St.
Seattle, WA 98134

RE: Project Metro Grab (KC), PO# M77563: Results of testing requested
by Gerry Thompson for material submitted on October 28, 1998.

1 water sample analyzed for Chromium, Copper, Nickel, and Zinc using Method 6010 @ \$65 per sample	\$ 65.00
100% rush surcharge for 24 hour turnaround	<u>65.00</u>
Amount Due	\$ 130.00

FEDERAL TAX ID (b) (6)

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Jensen, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

November 2, 1998

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford St.
Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on October 28, 1998 from your Metro Grab (KC), PO# M77563 project. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Manuel Marti
Project Manager

Enclosures
ACU1102R.DOC